

FIG. 2

-300

-302

-304

-306

-308

-310

312

FIG. 4

```

graph TD
    350[PORTABLE DEVICE ACCESSES SITE CONTROLLER] --> 352[PORTABLE DEVICE ASCERTAINS HARDWARE AT FUELING SITE]
    352 --> 354[PORTABLE DEVICE ASCERTAINS SOFTWARE AT FUELING SITE]
    354 --> 356{PORTABLE DEVICE DETERMINES COMPATIBILITY}
    356 -- YES --> 366[UPLOAD APPROPRIATE SOFTWARE TO SITE CONTROLLER]
    366 --> 368[DISPATCH SOFTWARE FROM SITE CONTROLLER TO PERIPHERAL DEVICES]
    368 --> 370[RECORD SERVICE PERFORMED]
    370 --> 372[RECORD UPGRADES DELIVERED]
    372 --> 374[RECORD CURRENT HARDWARE & SOFTWARE AT SITE ALONG WITH IDENTIFYING INFO]
    374 --> 376[DISENGAGE PORTABLE DEVICE]
    356 -- NO --> 358{CAN IT BE FIXED?}
    358 -- YES --> 360[UPLOAD PATCH]
    360 --> 366
    358 -- NO --> 362[ERROR MESSAGE]
    362 --> 364[GO TO 370]
  
```

FIG. 5




FIG. 6